

Super Telephoto Infrared Lens



Product overview: Super Telephoto Infrared Lens

3.5 or 4 x telephoto lens for inspecting smaller objects or objects that are harder to capture at farther distances - compatible with TiX1000, TiX660 and TiX640 models.

Applications: Predictive maintenance, utilities, high voltage utilities, and long range surveillance.

Specifications: Super Telephoto Infrared Lens

General Characteristics	
Lens description	Super telephoto lens
Focal distance	120 mm
Focus	6.58 mm
1024 x 768	
iFOV	0.1 mRad
FOV	8.1 x 6.2°
640 x 480	
iFOV	0.2 mRad



FOV	7.5 x 5.7°
-----	------------

Ordering information



FLK-Xlens/Super Telephoto

Applications: Predictive maintenance, utilities, high voltage utilities, and long range surveillance.
Compatible with TiX1000, TiX660 and TiX640 infrared cameras.

Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

Fluke Australia
Unit 26, 7 Anella Ave
Castle Hill, NSW 2154 Australia
Phone: 61 2 8850-3333
www.fluke.com.au

©2021 Fluke Corporation. All rights reserved.
Specifications subject to change without notice.
12/2021

**Modification of this document is not permitted
without written permission from Fluke Corporation.**