


# Fluke BHT190 Break-Out Adapters for Industrial Bus Connections



## Key features

Set contains:

- Break-out adapter DB-9, male-to-female. Gives access to pins 1 thru 9 and shield.
- Break-out adapter M12, with cables, male-to-female. Gives access to pins 1 thru 5.
- Break-out adapter RJ-45, female-to-female with patchcable (patchcable not shown on photo). Gives access to pins 1 thru 8 and shield.

## Product overview: Fluke BHT190 Break-Out Adapters for Industrial Bus Connections

Set of break-out adapters for the three most common industrial bus connection systems M12, DB-9 and RJ-45. Each board works as a straight-through connection for the bus cable and gives access to the individual wires and pins of the connector system for hooking up probes.


## Specifications: Fluke BHT190 Break-Out Adapters for Industrial Bus

## Connections

### Specifications

Max. voltage	30 V rms, 42 V peak, between any connection and between connections and ground.
--------------	---

## Ordering information



### Fluke BHT190

Set contains:

- Break-out adapter DB-9, male-to-female. Gives access to pins 1 thru 9 and shield
- Break-out adapter M12, with cables, male-to-female. Gives access to pins 1 thru 5
- Break-out adapter RJ-45, female-to-female with patchcable (patchcable not shown on photo). Gives access to pins 1 thru 8 and shield

**Fluke.** *Keeping your world up and running.®*

**Fluke (UK) Ltd.**  
52 Hurricane Way  
Norwich, Norfolk  
NR6 6JB  
United Kingdom  
Tel.: +44 (0)20 7942 0708  
E-mail: [cs.uk@fluke.com](mailto:cs.uk@fluke.com)  
[www.fluke.com](http://www.fluke.com)

©2021 Fluke Corporation. All rights reserved.  
Data subject to alteration without notice.  
11/2021

**Modification of this document is not permitted  
without written permission from Fluke Corporation.**