

TECHNICAL DATA

Telephoto Infrared Lens



Product overview: Telephoto Infrared Lens

2x magnification telephoto lens for inspecting small objects or objects that are hard to reach or in the distance – compatible with TiX1000, TiX660 and TiX640 models.

Applications: Predictive maintenance, oil and gas, utilities and power line inspections.

Specifications: Telephoto Infrared Lens

General Characteristics	
Lens description	Telephoto lens
Focal distance	60 mm
Focus	1.99 mm
1024 x 768	
iFOV	0.3 mRad
FOV	16.4 x 12.4°
640 x 480	
iFOV	0.4 mRad



FOV	14.9 x 11.3°
-----	--------------

Ordering information



FLK-Xlens/Telephoto

Applications: Predictive maintenance, oil and gas, utilities and power line inspections.
Compatible with TiX1000, TiX660 and TiX640 infrared cameras.

Fluke. *Keeping your world up and running.®*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

Representative office of Fluke South East Asia Pte Ltd

C/O Danaher Vietnam
Green Power Tower, 11th Floor Unit 2
35 Ton Duch Thang Street, District 1
Ho Chi Minh City
Vietnam

Tel: +84-8-2220-5371 (ext 103)

Email: info.asean@fluke.com

www.fluke.com/vn-vi

©2021 Fluke Corporation. Specifications subject to change without notice.
12/2021

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (905) 890-7600

From other countries +1 (425) 446-5500

Modification of this document is not permitted without written permission from Fluke Corporation.