

Data teknis

CXT1000 Extreme Hard Case



Fitur utama

- Innovative features for unmatched strength and durability
- Offers maximum protection for your Fluke tools and accessories against high impact, vibration or shock
- O-ring sealed, waterproof up to a depth of 3 feet
- Airtight, and built to withstand the most extreme conditions
- Great for airline travel with an automatic pressure equalization valve for changes in atmospheric pressure
- Spring-release patent pending latches lock in place
- Lock holders are great for use with pad locks for added security
- Customizable, 2-piece sheeted foam offers an extremely tailored, custom fit for your Fluke tools and accessories
- Stackable, finger groove on each side for easy pick up and carry
- Lifetime warranty on the case shell
- IP67 rated
- RoHS compliant

Ikhtisar Produk: CXT1000 Extreme Hard Case

The CXT1000 is a hard case that fits all your Fluke test tools and accessories. Configure the diced foam interior to store, protect, and carry your test tools.

Spesifikasi: CXT1000 Extreme Hard Case

Specifications	
Dimensions (HxWxD)	13.5 in x 18.3 in x 7 in (34.3 cm x 46.5 cm x 17.8 cm)
Waterproof depth	0.9 m (3 ft)
Safety certifications	IP67 rated RoHS compliant
Warranty	Lifetime warranty on the case shell

Model



CXT1000

Extreme Hard Case with do-it-yourself custom foam inserts.

Fluke. Memastikan aktivitas Anda terus berjalan dan beroperasi.

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

www.fluke.com

BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: info.asean@fluke.com

www.fluke.com/id

©2021 Fluke Corporation. Specifications subject to change without notice.

12/2021

Modification of this document is not permitted without written permission from Fluke Corporation.