

Thông số kỹ thuật

CXT1000 Extreme Hard Case



Tính năng chính

- Innovative features for unmatched strength and durability
- Offers maximum protection for your Fluke tools and accessories against high impact, vibration or shock
- O-ring sealed, waterproof up to a depth of 3 feet
- Airtight, and built to withstand the most extreme conditions
- Great for airline travel with an automatic pressure equalization valve for changes in atmospheric pressure
- Spring-release patent pending latches lock in place
- Lock holders are great for use with pad locks for added security
- Customizable, 2-piece sheeted foam offers an extremely tailored, custom fit for your Fluke tools and accessories
- Stackable, finger groove on each side for easy pick up and carry
- Lifetime warranty on the case shell
- IP67 rated
- RoHS compliant

Tổng quan sản phẩm: CXT1000 Extreme Hard Case

The CXT1000 is a hard case that fits all your Fluke test tools and accessories. Configure the diced foam interior to store, protect, and carry your test tools.

Thông số kỹ thuật: CXT1000 Extreme Hard Case

Specifications	
Dimensions (HxWxD)	13.5 in x 18.3 in x 7 in (34.3 cm x 46.5 cm x 17.8 cm)
Waterproof depth	0.9 m (3 ft)
Safety certifications	IP67 rated RoHS compliant
Warranty	Lifetime warranty on the case shell

Model



CXT1000

Extreme Hard Case with do-it-yourself custom foam inserts.

Fluke. *Giữ cho thế giới của bạn. không ngừng vận động.*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (905) 890-7600

From other countries +1 (425) 446-5500

Representative office of Fluke South East Asia Pte Ltd

C/O Danaher Vietnam

Green Power Tower, 11th Floor Unit 2

35 Ton Duch Thang Street, District 1

Ho Chi Minh City

Vietnam

Tel: +84-8-2220-5371 (ext 103)

Email: info.asean@fluke.com

www.fluke.com/vn

©2022 Fluke Corporation. Specifications subject to change without notice.

01/2022

Modification of this document is not permitted without written permission from Fluke Corporation.